

MAUVE ACCESSIBILITY EVALUATION REPORT



GUIDELINE SET: set composed of one or more guidelines.

GUIDELINE: it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, "Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language").

CRITERION: it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, "All non-text content that is presented to the user has a text alternative that serves the equivalent purpose").

CHECKPOINT: consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as "Accessibility issue, due to omitting the alt attribute on image elements, area elements, and input elements of type image".






BASE URL	https://www.e-vai.com/
CRAWLING PARAMETERS	
Number of pages	49
Depth	1
NUMBER OF EVALUATED WEB PAGES	49
EVALUATION DATE	31 ott 2023,
EVALUATION TIME	09:23

MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.


90%



MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

81%



TOTAL ERRORS

We compute the number of erroneus checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

18 TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

10723 TOTAL ERROR OCCURRENCIES FOUND

218 AVERAGE ERROR OCCURENCIES PER PAGE

TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

10 TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

21422 TOTAL WARNINGS OCCURENCIES FOUND

437 AVERAGE WARNING OCCURENCIES PER PAGE




MOST ERRONEUS PAGES

We compute a rank of the most erroneus pages of the website, according to the occurrences of errors found in each evaluated page.

- 1. https://www.e-vai.com/blog/
- 2. https://www.e-vai.com/partnership/
- 3. https://www.e-vai.com/promozioni/pacchetti-prepagati/



PAGE URL: https://www.e-vai.com/blog/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	75
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	UNDERSTANDABLE	
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	97
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	15






E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/blog/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	97
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	15



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	75
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
IMG		




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/blog/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	75
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	235
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	97
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	15
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/partnership/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	60
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	177




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	72
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8





PAGE URL: https://www.e-vai.com/partnership/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	72
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8



E/W	Errors	No. of occurrences	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6	
	COLOR		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	60	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	177	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	FORM		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4	
	HTML		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
	IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22	
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33	






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/partnership/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	60	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	177	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	72
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/promozioni/pacchetti-prepagati/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	16
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	16
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	27
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4





PAGE URL: https://www.e-vai.com/promozioni/pacchetti-prepagati/



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
	IMG	
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	16
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	16
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	27






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/promozioni/pacchetti-prepagati/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	245	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	16	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	16
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	27
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/promozioni/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	61
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	175




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
OPERABLE		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	71
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8





PAGE URL: https://www.e-vai.com/promozioni/



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	71
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8



E/W	Errors	No. of occurrences	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6	
	COLOR		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	61	
CONTENT			
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	175	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
FORM			
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4	
HTML			
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
IMG			
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22	
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33	






E/W	Errors	No. of occurrences
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/promozioni/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	61	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	175	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	71
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/lavora-con-noi/



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	10
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	58




E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	139
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
OPERABLE		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	49
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	6
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	6
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/lavora-con-noi/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	10
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	49
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	58
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	139
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	6
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	6
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11






E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



PAGE URL: https://www.e-vai.com/lavora-con-noi/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	58
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	139
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	6
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	10
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	6
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	49
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/car-sharing-stazioni-ferroviarie/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	24
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	24




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	96
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	260
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	35
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	113
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/car-sharing-stazioni-ferroviarie/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	113
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	96
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	260
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	24
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	24
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	35






E/W	Errors	No. of occurrences
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/car-sharing-stazioni-ferroviarie/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	96
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	260
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	24




E/W	Errors	No. of occurrences
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	24
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	113
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	35
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/car-sharing-aeroporti/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	252
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	110
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/car-sharing-aeroporti/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	110
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	252
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34






E/W	Errors	No. of occurrences
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/car-sharing-aeroporti/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	252
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23




E/W	Errors	No. of occurrences
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	110
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/destinazioni/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	43
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	43
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	56
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201




E/W	Errors	No. of occurrences	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	54	
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	OPERABLE		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	83	
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6	
	ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	18	





PAGE URL: https://www.e-vai.com/destinazioni/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	83	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	18	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	56
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	43
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	43
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	54






E/W	Errors	No. of occurrences
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/destinazioni/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	56	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	201	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	43	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	43
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	83
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	18
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	54
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/faq/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	57
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	217




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	75
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/faq/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	75	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	57
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	217
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/faq/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	57	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	217	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	75
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/progetti-europei/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	20
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	20
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	55
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	160




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	63
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.e-vai.com/progetti-europei/



E/W	Errors	No. of occurrences
ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	63
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	55
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	160
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
	IMG	
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	20
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	20
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/progetti-europei/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	55	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	160	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	20	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	20
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	63
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/scarica-lapp/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	9
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	9
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	51




E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	42
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/scarica-lapp/



E/W	Errors	No. of occurrences
	ARIA	
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	42
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	51
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	9
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	9






E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



PAGE URL: https://www.e-vai.com/scarica-lapp/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	51	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	129	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	9	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	9
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	42
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/promozioni/invita-un-amico-in-e-vai/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	68
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	164




E/W	Errors	No. of occurrences	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24	
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	OPERABLE		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	58	
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6	
	ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4	





PAGE URL: https://www.e-vai.com/promozioni/invita-un-amico-in-e-vai/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	58
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	68
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	164
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24






E/W	Errors	No. of occurrences
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/promozioni/invita-un-amico-in-e-vai/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	68
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	164
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	58
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/promozioni/promozione-halloween/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	79
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4





PAGE URL: https://www.e-vai.com/promozioni/promozione-halloween/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	79
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24






E/W	Errors	No. of occurrences
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/promozioni/promozione-halloween/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	79
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/promozioni/promozione-under-25/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	79
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4





PAGE URL: https://www.e-vai.com/promozioni/promozione-under-25/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	79
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24






E/W	Errors	No. of occurrences
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/promozioni/promozione-under-25/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	78
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	207
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	79
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	24
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/promozioni/promozione-di-benvenuto/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	15
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	15
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	212




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	81
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4





PAGE URL: https://www.e-vai.com/promozioni/promozione-di-benvenuto/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	81
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	212
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	15
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	15
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26






E/W	Errors	No. of occurrences
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/promozioni/promozione-di-benvenuto/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	212
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	15




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	15
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	81
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/contatti/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	12
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	11
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	11
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	12




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	81
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	175
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	21
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	70
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/contatti/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	70
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	81
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	175
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	11
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	11
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		






E/W	Errors	No. of occurrences
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	12
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	12
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	21
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/contatti/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	11	
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	81	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	175	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	12
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	11
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	12
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	70
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	21
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/bandi-e-gare/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	149




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	48
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/bandi-e-gare/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	48
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	149
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/bandi-e-gare/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	149
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	48
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/fnm-group/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	57




E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	50
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/fnm-group/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	50
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	57
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13






E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



PAGE URL: https://www.e-vai.com/fnm-group/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	57
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	13




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	13
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	50
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/blog/fleet-management-i-trend-e-le-sfide-r



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	24
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	24
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
UNDERSTANDABLE		
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	24
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	24
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5






E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/blog/fleet-management-i-trend-e-le-sfide-r



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	24
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	24
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	24
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	24
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
IMG		




E/W	Errors	No. of occurrences	
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18	
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29	
	LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16	
	RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	8	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	





PAGE URL: https://www.e-vai.com/blog/fleet-management-i-trend-e-le-sfide-r



E/W	Errors	No. of occurrences	
	STYLE		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	24	
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	8	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	224	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32	




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	24
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	24
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	24
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2






PAGE URL: https://e-vai.com/account/



E/W	Errors	No. of occurrences	
	PERCEIVABLE		
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	1	
	OPERABLE		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	1	
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	1	
	ROBUST		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1	




PAGE URL: https://e-vai.com/account/



E/W	Errors	No. of occurrences
	ARIA	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	1




PAGE URL: https://e-vai.com/account/



E/W	Errors	No. of occurrences	
	STYLE		
	HTML		
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	1	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	1	



PAGE URL: https://www.e-vai.com/e-vai-per-i-cittadini/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	30
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	30




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	234
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	41
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/e-vai-per-i-cittadini/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	234
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	30
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	30
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	41






E/W	Errors	No. of occurrences	
	LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27	
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6	
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1	
RESPONSIVE			
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	





PAGE URL: https://www.e-vai.com/e-vai-per-i-cittadini/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	94	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	234	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	30	




E/W	Errors	No. of occurrences
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	30
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	41
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	8
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	9
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	9
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	8
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72




E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	289
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	OPERABLE	
Е	SC 2.4.1 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	170
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4





PAGE URL: https://www.e-vai.com/en/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	170
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



E/W	Errors	No. of occurrences	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10	
	COLOR		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	289	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19	
	FORM		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	9	
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	9	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9	
	HTML		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1	
IMG			
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	8	
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	8	






E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	18
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17



PAGE URL: https://www.e-vai.com/en/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	9	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	289	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	8	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	9
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 2.4.1 - 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	8
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	9
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	170
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	18
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.e-vai.com/cookie-policy/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	496




E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	8
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	262
	UNDERSTANDABLE	
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
OPERABLE		
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	1
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	361
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
	ROBUST	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	4
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/cookie-policy/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	361
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	496
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	262
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	1
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	1
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	4
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	4
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11






E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	8



PAGE URL: https://www.e-vai.com/cookie-policy/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	92
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	496
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	262
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	14
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	4
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	4
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	1
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	1
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	361
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	4





PAGE URL: https://www.e-vai.com/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	8
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	16
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	16
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	8
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	330




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	OPERABLE	
Е	SC 2.4.1 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	16
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	16
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	182
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4





PAGE URL: https://www.e-vai.com/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	182
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	330
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	16
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	16
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	16
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	16
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	8
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20





E/W	Errors	No. of occurrences
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17





PAGE URL: https://www.e-vai.com/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	16	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	330	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	21	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	8	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	16
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 2.4.1 - 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	8
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	16
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	16
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	182
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10





PAGE URL: https://www.e-vai.com/e-vai-point/



E/W	Errors	No. of occurrences
PERCEIVABLE		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	217
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	217
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	217




E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	795
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	228
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45
	OPERABLE	
E	SC 2.4.1 - Tech H64 Using the title attribute of the frame and iframe elements	1
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	5
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	501
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/e-vai-point/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	501
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	795
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	5
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		






E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	217
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	217
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	228
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	217
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	44





PAGE URL: https://www.e-vai.com/e-vai-point/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	54	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	795	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	44	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	217	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	217	




E/W	Errors	No. of occurrences
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 2.4.1 - 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	217
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	5
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	501
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	228
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/chi-siamo/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	257




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	OPERABLE	
Е	SC 2.4.1 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	147
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/chi-siamo/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	147
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	257
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28






E/W	Errors	No. of occurrences
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17





PAGE URL: https://www.e-vai.com/chi-siamo/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	257
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 2.4.1 - 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	147
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/e-vai-per-le-comunita/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	27
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	27




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	198
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	36
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	13
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	13
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	84
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/e-vai-per-le-comunita/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	84
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	198
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	13
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	13
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		






E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	27
E	SC 1.1.1 - Tech H37 Using alt attributes on img elements	27
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	36
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/e-vai-per-le-comunita/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	198
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	27
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	27
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	13
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	13
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	84
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	36
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/e-vai-per-le-aziende/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	33
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	33




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	220
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	42
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	91
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/e-vai-per-le-aziende/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	91



E/W	Errors	No. of occurrences	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2	
	COLOR		
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	220	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15	
	FORM		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17	
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14	
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18	
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18	
	HTML		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
IMG			






E/W	Errors	No. of occurrences	
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	33	
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	33	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	42	
	LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20	
RESPONSIVE			
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	





PAGE URL: https://www.e-vai.com/e-vai-per-le-aziende/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	220
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	33
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	33
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	91
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	42
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/comuni-convenzionati/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	203
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	203
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	139
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	848




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	214
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	387
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/comuni-convenzionati/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	387
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	139
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	848
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	203
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	203
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	214






E/W	Errors	No. of occurrences
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/comuni-convenzionati/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	139
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	848
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	203




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	203
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	387
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	214
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/e-vai-for-companies/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	31
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	31




E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	71
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	88
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/en/e-vai-for-companies/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	88	



E/W	Errors	No. of occurrences	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2	
	COLOR		
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	71	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15	
	FORM		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17	
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14	
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18	
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18	
	HTML		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
IMG			




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	31
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	31
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/e-vai-for-companies/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	71
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	31
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	31
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	88
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/en/e-vai-for-the-citizens/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	30
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	30




E/W	Errors	No. of occurrences	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	41	
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	OPERABLE		
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99	
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6	
	ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	





PAGE URL: https://www.e-vai.com/en/e-vai-for-the-citizens/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	30
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	30
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	41






E/W	Errors	No. of occurrences	
	LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27	
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6	
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1	
RESPONSIVE			
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	





PAGE URL: https://www.e-vai.com/en/e-vai-for-the-citizens/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	86
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	27
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	30




E/W	Errors	No. of occurrences
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	30
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	41
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/airports/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	240




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	108
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/en/airports/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	108
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	240
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/airports/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	240
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	22




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	22
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	108
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/e-vai-point/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	29
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29




E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	44
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	410
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	44
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45
	OPERABLE	
Е	SC 2.4.1 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	5
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	313
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/en/e-vai-point/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	313	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	44
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	410
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	5
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		






E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	29
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	44





PAGE URL: https://www.e-vai.com/en/e-vai-point/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	5
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	44
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	410
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	44
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	45
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	29
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29




E/W	Errors	No. of occurrences
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	5
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
E	SC 2.4.1 - 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	5
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	5
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	313
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/en/about-us/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	63
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	OPERABLE	
Е	SC 2.4.1 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	147
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/en/about-us/



E/W	Errors	No. of occurrences	
	ARIA		
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	147	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	63
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28






E/W	Errors	No. of occurrences
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17





PAGE URL: https://www.e-vai.com/en/about-us/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	63
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	248
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	17
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	19
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 2.4.1 - 4.1.2 - Tech H64 Using the title attribute of the frame and iframe elements	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	147
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/e-vai-for-the-communities/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	27
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	27




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	84
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	195
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	36
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	13
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	13
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	82
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/en/e-vai-for-the-communities/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	82
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7	
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1	
	COLOR		
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	84	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	195	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15	
	FORM		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12	
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7	
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	13	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	13	
	HTML		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
	IMG		






E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	27
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	27
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	36
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/e-vai-for-the-communities/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	12
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	84
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	195
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	27
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	12
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	27
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	13
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	13
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	82
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	36
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/en/progetti-europei/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	20
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	20
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	46
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	151




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	63
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6





PAGE URL: https://www.e-vai.com/en/progetti-europei/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	63	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	46
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	151
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	20
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	20
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33






E/W	Errors	No. of occurrences
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/progetti-europei/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	46
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	151
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	20




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	20
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	63
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	6
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	33
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/blog/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29



E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	65
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	UNDERSTANDABLE	
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	97
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	15






E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/en/blog/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	97
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	15



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	65
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
IMG		






E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/blog/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	7
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	65
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	226
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	17
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	29
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	3
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	7
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	29
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	7
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	7
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	97
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	15
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	40
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/en/partnership/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	47
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	56
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4





PAGE URL: https://www.e-vai.com/en/partnership/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	56	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	47
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/partnership/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	47
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	56
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/railway-station/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	252




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	111
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/en/railway-station/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	111	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	252
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/railway-station/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	82
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	252
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	111
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	34
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6



PAGES EVALUATION

PAGE URL: https://www.e-vai.com/en/blog/fleet-management-i-trend-e-le-sfid



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	24
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	24
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18

E/W	Errors	No. of occurrences
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	45
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	215
W	SC 1.3.1 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	UNDERSTANDABLE	
W	SC 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
	OPERABLE	
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	24
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	24
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5




E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/en/blog/fleet-management-i-trend-e-le-sfid



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	45
CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	215
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
FORM		
E	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	24
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	24
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	24
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	24
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
IMG		






E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	8
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



PAGES EVALUATION

PAGE URL: https://www.e-vai.com/en/blog/fleet-management-i-trend-e-le-sfid



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	24
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	8
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	45
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	215
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	16
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	32




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	18
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	6
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	24
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	32
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	18
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	24
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	24
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	99
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	5
W	SC 1.3.1 - 3.3.2 - Tech G162 Positioning labels to maximize predictability of relationships	1
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	29
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	9
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/en/scarica-lapp/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	9
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	9
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	42




E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	120
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	42
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/en/scarica-lapp/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	42	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	42
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	120
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	9
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	9





E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



PAGE URL: https://www.e-vai.com/en/scarica-lapp/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	42
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	120
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	9




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	9
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	42
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	20
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/faq/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	206




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	74
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/en/faq/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	74	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	206
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22





E/W	Errors	No. of occurrences
	LINK	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/faq/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	48
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	206
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11




E/W	Errors	No. of occurrences
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	74
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/e-vai-business/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	202
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	82
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/e-vai-business/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	82	



E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2
	COLOR	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	202
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
FORM		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
HTML		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		






E/W	Errors	No. of occurrences
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/e-vai-business/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17	
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	89	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	202	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	17
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	17
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	82
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	26
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/en/cookie-policy/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	110
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	191




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	48
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/en/cookie-policy/



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	48	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	110
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	191
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22






E/W	Errors	No. of occurrences
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/cookie-policy/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	110
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	191
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	11




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	11
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	48
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	22
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/contacts/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	12
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	11
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	11
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	12




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	166
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	21
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	70
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
	ROBUST	
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/en/contacts/



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	70
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	166
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	11
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	11
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
IMG		






E/W	Errors	No. of occurrences
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	12
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	12
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	21
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/contacts/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	11
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	72
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	166
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	12
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	7
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	11
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	12
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	12
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	70
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	21
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1





PAGE URL: https://www.e-vai.com/en/fnm-group/



E/W	Errors	No. of occurrences
	PERCEIVABLE	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	19
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	19
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	55




E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	52
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/en/fnm-group/



E/W	Errors	No. of occurrences
	ARIA	
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	52
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	55
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
IMG		
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	19
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	19






E/W	Errors	No. of occurrences
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
LINK		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4



PAGE URL: https://www.e-vai.com/en/fnm-group/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	55
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	140
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	HTML	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	26
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	19




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
E	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	19
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	52
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	28
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/en/affiliated-municipalities/

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	203
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	11
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	203
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	130
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	845




E/W	Errors	No. of occurrences
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	215
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	387
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3





PAGE URL: https://www.e-vai.com/en/affiliated-municipalities/

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
	ARIA	
E	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	11
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	387
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3



E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6
	COLOR	
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	130
	CONTENT	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	845
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5
	FORM	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
E	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
	HTML	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7
	IMG	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	203
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	203
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	215






E/W	Errors	No. of occurrences
	LINK	
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18
RESPONSIVE		
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/en/affiliated-municipalities/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	4	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	130	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	845	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	5	
	HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	18	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	7	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	203	




E/W	Errors	No. of occurrences
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	11
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	4
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	7
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	203
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	4
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	4
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	387
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	215
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	6





PAGE URL: https://www.e-vai.com/corporate-car-sharing/

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1



E/W	Errors	No. of occurrences
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	32
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	92
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
ROBUST		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9






E/W	Errors	No. of occurrences
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/corporate-car-sharing/

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
	ARIA	
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	92



E/W	Errors	No. of occurrences	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2	
	COLOR		
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15	
	FORM		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17	
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14	
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18	
E	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18	
	HTML		
E	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
IMG			




E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	32
LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
E	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
RESPONSIVE		
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4





PAGE URL: https://www.e-vai.com/corporate-car-sharing/



E/W	Errors	No. of occurrences
	STYLE	
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	93
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	214
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
HTML		
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8




E/W	Errors	No. of occurrences
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	23
Е	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	6
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	23
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.1.1 - Tech H30-1.1.1 Providing link text that describes the purpose of a link for anchor elements	1
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	92
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	32
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/e-vai-fleet-management/

ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
	PERCEIVABLE	
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	14
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	14




E/W	Errors	No. of occurrences
E	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	75
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	186
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	23
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15
	OPERABLE	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	74
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
	ROBUST	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2





PAGE URL: https://www.e-vai.com/e-vai-fleet-management/

ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences	
	ARIA		
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12	
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9	
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	74	



E/W	Errors	No. of occurrences	
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3	
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8	
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2	
	COLOR		
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	75	
	CONTENT		
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	186	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15	
FORM			
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17	
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14	
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17	
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18	
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18	
	HTML		
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1	
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8	
IMG			






E/W	Errors	No. of occurrences	
Е	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	14	
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	14	
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	23	
	LINK		
E	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19	
RESPONSIVE			
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	





PAGE URL: https://www.e-vai.com/e-vai-fleet-management/



E/W	Errors	No. of occurrences	
	STYLE		
Е	SC 1.4.11 - Tech F78 Using an author-supplied, highly visible focus indicator	17	
Е	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	2	
Е	SC 1.4.3 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	75	
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	186	
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	4	
W	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	15	
HTML			
Е	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	19	
Е	SC 4.1.1 - Tech H93 Ensuring that id attributes are unique on a webpage	8	



E/W	Errors	No. of occurrences
E	SC 1.1.1 - Tech F65 Failure of Success Criterion 1.1.1 due to omitting the alt attribute on img elements, area elements, and input elements of type image	14
Е	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	14
Е	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
Е	SC 1.1.1 - Tech ARIA6 Using aria-label to provide labels for objects	12
Е	SC 1.4.11 - Tech G195 Using an author-supplied, highly visible focus indicator	17
Е	SC 4.1.1 - Tech F77 Failure of Success Criterion 4.1.1 due to duplicate values of type ID	8
Е	SC 1.1.1 - Tech H37 Using alt attributes on img elements	14
Е	SC 2.4.7 - Tech F78-2.4.7 Using an author-supplied, highly visible focus indicator	18
Е	SC 2.4.7 - Tech G195-2.4.7 Using an author-supplied, highly visible focus indicator	18
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	9
W	SC 2.5.3 - Tech F96 If on the page are present the tags arialabel or aria-labelledby, check that their content matches the visible name.	74
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	3
W	SC 1.1.1 - Tech H67 Using null alt text and no title attribute on img elements for images that AT should ignore	23
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	8
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	2



HIIS LAB @ ISTI-CNR

Pisa . Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1 56124 Pisa Italy Room: Building B - Entrance 17 - II Floor

http://hiis.isti.cnr.it/lab/home